

FILEID**RENAME

RRRRRRRR	EEEEE	NN	NN	AAAAAA	MM	MM	EEEEE
RRRRRRRR	EEEEE	NN	NN	AAAAAA	MM	MM	EEEEE
RR RR	EE	NN	NN	AA AA	MMMM	MMMM	EE
RR RR	EE	NNNN	NN	AA AA	MMMM	MMMM	EE
RR RR	EE	NNNN	NN	AA AA	MM MM	MM MM	EE
RR RR	EE	NNNN	NN	AA AA	MM MM	MM MM	EE
RRRRRRRR	EEEEE	NN NN	NN NN	AA AA	MM MM	MM MM	EEEEE
RRRRRRRR	EEEEE	NN NN	NN NN	AA AA	MM MM	MM MM	EEEEE
RR RR	EE	NN NNNN	NNNN	AAAAAAA	MM	MM	EE
RR RR	EE	NN NNNN	NNNN	AAAAAAA	MM	MM	EE
RR RR	EE	NN NN	NN NN	AA AA	MM MM	MM MM	EE
RR RR	EE	NN NN	NN NN	AA AA	MM MM	MM MM	EE
RR RR	EEEEE	NN NN	NN NN	AA AA	MM MM	MM MM	EEEEE
RR RR	EEEEE	NN NN	NN NN	AA AA	MM MM	MM MM	EEEEE

....

MM	MM	AAAAAA	PPPPPPP
MM	MM	AAAAAA	PPPPPPP
MMMM	MMMM	AA AA	PP PP
MMMM	MMMM	AA AA	PP PP
MM MM	MM	AA AA	PP PP
MM MM	MM	AA AA	PP PP
MM	MM	AA AA	PPPPPPPP
MM	MM	AA AA	PPPPPPPP
MM	MM	AAAAAAA	PP
MM	MM	AAAAAAA	PP
MM	MM	AA AA	PP
MM	MM	AA AA	PP
MM	MM	AA AA	PP
MM	MM	AA AA	PP

+-----+
! Object Module Synopsis !
+-----+

Module Name	Ident	Bytes	File	Creation Date	Creator
RENAME	V04-000	729	\$255\$DUA28:[CLIUTL.OBJ]CLIUTL.OLB:1	16-Sep-1984 00:25	VAX-11 Bliss-32 V4.0-742
RENAMEMSG	0	42	\$255\$DUA28:[CLIUTL.OBJ]CLIUTL.OLB:1	16-SEP-1984 01:52	VAX-11 Message V04-00
CVTTIME	V04-000	996	\$255\$DUA28:[CLIUTL.OBJ]CLIUTL.OLB:1	15-SEP-1984 23:39	VAX/VMS Macro V04-00
COMMON_FILE_QUALIFIERS	V04-000	2915	\$255\$DUA28:[SYSLIB]SYSBLDLIB.OLB:1	16-Sep-1984 02:23	VAX-11 Bliss-32 V4.0-742
MATCH	V04-000	698	\$255\$DUA28:[SYSLIB]SYSBLDLIB.OLB:1	16-SEP-1984 02:18	VAX/VMS Macro V04-00
MATCHNAME	V04-000	72	\$255\$DUA28:[SYSLIB]SYSBLDLIB.OLB:1	16-SEP-1984 02:18	VAX/VMS Macro V04-00
CLI\$INTERFACE	V04-000	516	\$255\$DUA28:[SYSLIB]STARLET.OLB:2	16-Sep-1984 00:32	VAX-11 Bliss-32 V4.0-742
CLISGLOBALS	V04-000	0	\$255\$DUA28:[SYSLIB]STARLET.OLB:2	15-SEP-1984 23:38	VAX/VMS Macro V04-00
LIBMSGDEF	2-018	0	\$255\$DUA28:[SYSLIB]STARLET.OLB:2	15-SEP-1984 23:43	VAX-11 Message V04-00
SYSSP1_VECTOR	V04-000	0	\$255\$DUA28:[SYSLIB]STARLET.OLB:2	16-SEP-1984 00:40	VAX/VMS Macro V04-00
LIBRTL	V04-000	0	\$255\$DUA28:[SYSLIB]LIBRTL.EXE:1	16-SEP-1984 04:00	VAX-11 Linker V04-00

+-----+
! Image Section Synopsis !
+-----+

Cluster	Type	Pages	Base Addr	Disk	VBN	PFC	Protection and Paging	Global Sec. Name	Match	Majorid	Minorid
DEFAULT_CLUSTER	0	12	0000C0200	2	0	READ ONLY					
	0	1	P-00001A00		14	0	READ WRITE	COPY ON REF			
	0	1	00001C00		15	0	READ WRITE	FIXUP VECTORS			
LIBRTL	253	20	7FFFDB800	0	0	0	READ WRITE DEMAND ZERO				
	3	111	00000000-R		0	0	READ ONLY		LIBRTL_001	LESS/EQUAL	1
	4	1	0000DE00-R		0	0	READ WRITE DEMAND ZERO	LIBRTL_002	LESS/EQUAL	LESS/EQUAL	11

Key for special characters above:

+-----+
! R - Relocatable !
! P - Protected !
+-----+

```
-----+
! Program Section Synopsis !
-----+
```

Psect Name	Module Name	Base	End	Length	Align	Attributes
\$CODE						
	RENAME	00000200	000012EE	00001CEF (4335.) LONG 2	PIC,USR,CON,REL,LCL, SHR, EXE, RD,NOWRT,NOVEC
	COMMON_FILE_QUALIFIERS	00000200	000004D8	000002D9 (729.) LONG 2	
	MATCH	000004DC	00001034	00000B59 (2905.) LONG 2	
		0C0001035	000012EE	000002BA (698.) BYTE 0	
\$CODE\$	CLISINTERFACE	000012F0	000014F3	00000204 (516.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD,NOWRT,NOVEC
		000012F0	000014F3	00000204 (516.) LONG 2	
_CNVCLI_CODE	CVTTIME	000014F4	0000184B	00000358 (856.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD,NOWRT,NOVEC
		000014F4	0000184B	00000358 (856.) LONG 2	
_CNVCLI_STATE	CVTTIME	0000184C	000018D7	0000008C (140.) BYTE 0	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD,NOWRT,NOVEC
		0000184C	000018D7	0000008C (140.) BYTE 0	
_LIB\$CODE	MATCHNAME	000018D8	0000191F	00000048 (72.) BYTE 0	PIC,USR,CON,REL,LCL, SHR, EXE, RD,NOWRT,NOVEC
		000018D8	0000191F	00000048 (72.) BYTE 0	
_LIB\$KEYOS	COMMON_FILE_QUALIFIERS	00001920	00001920	00000000 (0.) WORD 1	PIC,USR,CON,REL,LCL, SHR, EXE, RD,NOWRT,NOVEC
		00001920	00001920	00000000 (0.) WORD 1	
_LIB\$STATES	COMMON_FILE_QUALIFIERS	00001920	00001929	0000000A (10.) WORD 1	PIC,USR,CON,REL,LCL, SHR, EXE, RD,NOWRT,NOVEC
		00001920	00001929	0000000A (10.) WORD 1	
MSGPTR\$AAAAAAA	RENAMEMSG	00001A00	00001A0F	00000010 (16.) LONG 2	PIC,USR,OVR,REL,LCL,NOSHR,NOEXE, RD, WRT, VEC
		00001A00	00001A0F	00000010 (16.) LONG 2	
MSGPTR\$AAAAAAAB	RENAMEMSG	00001A10	00001A13	00000004 (4.) LONG 2	PIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT, VEC
		00001A10	00001A13	00000004 (4.) LONG 2	
MSGPTR\$AAAAAAAC	RENAMEMSG	00001A14	00001A17	00000004 (4.) LONG 2	PIC,USR,OVR,REL,LCL,NOSHR,NOEXE, RD, WRT, VEC
		00001A14	00001A17	00000004 (4.) LONG 2	
MSGPTR\$SECTION	RENAMEMSG	00001A18	00001A29	00000012 (18.) BYTE 0	PIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT, VEC
		00001A18	00001A29	00000012 (18.) BYTE 0	

+-----+
! Symbol Cross Reference !
+-----+

Symbol	Value	Defined By	Referenced By ...
CLI\$DCL_PARSE	000013BF-R	CLISINTERFACE	
CLI\$DISPATCH	00001470-R	CLISINTERFACE	
CLISGET_VALUE	00001333-R	CLISINTERFACE	COMMON_FILE_QUALIFIERS RENAME
CLISNEXT.Qual	000014B1-R	CLISINTERFACE	
CLIS\$PRESENT	000012F0-R	CLISINTERFACE	COMMON_FILE_QUALIFIERS RENAME
CLIS_ABSENT	000381F0	CLISGLOBALS	CLISINTERFACE
CLIS_COMMA	0003FD39	CLISGLOBALS	CLISINTERFACE
CLIS_CONCAT	0003FD29	CLISGLOBALS	CLISINTERFACE
CLIS_CONFQUAL	000312E4	COMMON_FILE_QUALIFIERS	
CLIS_DEFAULTED	0003FD21	CLISGLOBALS	CLISINTERFACE
CLIS_INVQUAVAL	0003132C	COMMON_FILE_QUALIFIERS	
CLIS_LOCNEG	00038230	CLISGLOBALS	CLISINTERFACE
CLIS_LOCPRES	0003FD31	CLISGLOBALS	CLISINTERFACE
CLIS_NEGATED	000381F8	CLISGLOBALS	CLISINTERFACE
CLIS_NOCOMD	000380B0	CLISGLOBALS	CLISINTERFACE
CLIS_NOSUCHID	0003135C	COMMON_FILE_QUALIFIERS	
CLIS_PRESENT	0003FD19	CLISGLOBALS	CLISINTERFACE
CLIS_QUALMISS	00031344	COMMON_FILE_QUALIFIERS	
CQ_UIC_KEYS	00001920-R	COMMON_FILE_QUALIFIERS	
CQ_UIC_STATES	00001920-R	COMMON_FILE_QUALIFIERS	
DC\$SCOPY_DDX	00000000		
FMG\$MATCH_NAME	000018D8-R	MATCHNAME	WK-CVTTIME MATCH
LIB\$CONFIRM_ACT	00000BC3-R	COMMON_FILE_QUALIFIERS	
LIB\$CVT_ATIME	00001679-R	CVTTIME	
LIB\$CVT_DTB	00001C54-RX	LIBRTL	MATCH
LIB\$CVT_DTIME	000016A4-R	CVTTIME	
LIB\$CVT_TIME	00001538-R	CVTTIME	COMMON_FILE_QUALIFIERS
LIB\$FREE_VM	00001C74-RX	LIBRTL	CLISINTERFACE
LIB\$GET_COMMAND	00001C58-RX	LIBRTL	COMMON_FILE_QUALIFIERS
LIB\$GET_VM	00001C78-RX	LIBRTL	CLISINTERFACE COMMON_FILE_QUALIFIERS
LIB\$QUAL_FILE_END	00000FD1-R	COMMON_FILE_QUALIFIERS	
LIB\$QUAL_FILE_MATCH	00000D68-R	COMMON_FILE_QUALIFIERS	RENAME
LIB\$QUAL_FILE_PARSE	00000908-R	COMMON_FILE_QUALIFIERS	RENAME
LIB\$RENAMEFILE	00001C5C-RX	LIBRTL	RENAME
LIB\$SCOPY_DDX	00001C60-RX	LIBRTL	CVTTIME
LIB\$SIGNAL	00001C68-RX	LIBRTL	COMMON_FILE_QUALIFIERS
LIB\$SIG_TO_RET	00001C6C-RX	LIBRTL	COMMON_FILE_QUALIFIERS
LIB\$STOP	00001C64-RX	LIBRTL	RENAME
LIB\$TPARSE	00001C70-RX	LIBRTL	COMMON_FILE_QUALIFIERS
LIB\$FILFAIMAT	00159008	LIB\$MSGDEF	COMMON_FILE_QUALIFIERS RENAME
LIB\$INTLOGERR	0015822C	LIB\$MSGDEF	COMMON_FILE_QUALIFIERS
LIB\$INVARG	00158234	LIB\$MSGDEF	COMMON_FILE_QUALIFIERS
LIB\$INVXAB	001583A4	LIB\$MSGDEF	COMMON_FILE_QUALIFIERS
LIB\$NEGANS	00159010	LIB\$MSGDEF	COMMON_FILE_QUALIFIERS
LIB\$QUICONACT	00159020	LIB\$MSGDEF	COMMON_FILE_QUALIFIERS
LIB\$QUIPRO	00159018	LIB\$MSGDEF	COMMON_FILE_QUALIFIERS RENAME
MATCH	00001035-R	MATCH	COMMON_FILE_QUALIFIERS
MATCH_DIRECTORY	00001118-R	MATCH	
MATCH_FILENAME	000010A7-R	MATCH	

Symbol	Value	Defined By	Referenced By ...
RENAMES\$_FACILITY	00000090	RENAMEMSG	RENAME
RENAMES\$_NOTRENAME	0090800A	RENAMEMSG	RENAME
RENAMES\$_NOTSAMEDEV	00908012	RENAMEMSG	
STR\$ANALYZE_SDESC	00001C4C-RX	LIBRTL	CLISINTERFACE
STR\$COPY_DX	00001C48-RX	LIBRTL	CLISINTERFACE
STR\$UPCASE	00001C50-RX	LIBRTL	COMMON_FILE_QUALIFIERS
SYSS\$ASCTIM	7FFEDE48	SYSSP1_VECTOR	CVTTIME
SYSS\$BINTIM	7FFEDE58	SYSSP1_VECTOR	CVTTIME
SYSS\$CLI	7FFEDE18	SYSSP1_VECTOR	CLISINTERFACE
SYSS\$CLOSE	7FEE1B8	SYSSP1_VECTOR	COMMON_FILE_QUALIFIERS
SYSS\$AOL	7FFEDF58	SYSSP1_VECTOR	COMMON_FILE_QUALIFIERS
SYSS\$GETJPI	7FEE0D8	SYSSP1_VECTOR	COMMON_FILE_QUALIFIERS
SYSS\$GETTIM	7FFEDF78	SYSSP1_VECTOR	CVTTIME
SYSS\$OPEN	7FEE208	SYSSP1_VECTOR	COMMON_FILE_QUALIFIERS
SYSS\$PARSE	7FEE230	SYSSP1_VECTOR	COMMON_FILE_QUALIFIERS
SYSS\$UNWIND	7FEE070	SYSSP1_VECTOR	RENAME

+-----+
! Symbols By Value !
+-----+

Value	Symbols...
000000090	RENAME\$FACILITY
000000908	R-LIB\$QUAL_FILE_PARSE
000000BC3	R-LIB\$CONFIRM_ACT
000000D68	R-LIB\$QUAL_FILE_MATCH
000000FD1	R-LIB\$QUAL_FILE_END
00001035	R-MATCH
000010A7	R-MATCH_FILENAME
00001118	R-MATCH_DIRECTORY
000012F0	R-CLISPRESENT
00001333	R-CLISGET_VALUE
000013BF	R-CLISDCL_PARSE
00001470	R-CLISDISPATCH
000014B1	R-CLISNEXT_QUAL
00001538	R-LIB\$CVT_TIME
00001679	R-LIB\$CVT_ATIME
000016A4	R-LIB\$CVT_DTIME
000018D8	R-FMGSMATCH_NAME
00001920	R-CQ_UIC_KEYS
00001C48	RX-STRSCOPY_DX
00001C4C	RX-STRSANALYZE_SDESC
00001C50	RX-STR\$UPCASE
00001C54	RX-LIB\$CVT_DTB
00001C58	RX-LIB\$GET_COMMAND
00001C5C	RX-LIB\$RENAME_FILE
00001C60	RX-LIB\$SCOPY_DDX
00001C64	RX-LIB\$STOP
00001C68	RX-LIB\$SIGNAL
00001C6C	RX-LIB\$SIG_TO_RET
00001C70	RX-LIB\$TPARSE
00001C74	RX-LIB\$FREE_VM
00001C78	RX-LIB\$GET_VM
000312E4	CLIS_CONFQUAL
0003132C	CLIS_INVQUAVAL
00031344	CLIS_QUALMISS
0003135C	CLIS_NOSUCHID
000380B0	CLIS_NOCOMD
000381F0	CLIS_ABSENT
000381F8	CLIS_NEGATED
00038230	CLIS_LOCNEG
0003FD19	CLIS_PRESENT
0003FD21	CLIS_DEFAULTED
0003FD29	CLIS_CONCAT
0003FD31	CLIS_LOCPRES
0003FD39	CLIS_COMMA
0015822C	LIB\$INTLOGERR
00158234	LIB\$INVARG
001583A4	LIB\$INVXAB
00159008	LIB\$FILFAIMAT
00159010	LIB\$NEGANS

R-CQ_UIC_STATES

Value

00159018 LIB\$_QUIPRO
00159020 LIB\$_QUICONACT
0090800A RENAMES_NOTRENAMED
00908012 RENAMES_NOTSAMEDEV
7FFEDE18 SYSSCLI
7FFEDE48 SYSSASCTIM
7FFEDE58 SYSSBINTIM
7FFEDF58 SYSSFAOL
7FFEDF78 SYSSGETTIM
7FFEE070 SYSSUNWIND
7FFEE0D8 SYSSGETJPI
7FFEE1B8 SYSSCLOSE
7FFEE208 SYSSOPEN
7FFEE230 SYSSPARSE

Symbols...

Key for special characters above:

-----	-----
*	- Undefined
U	- Universal
R	- Relocatable
X	- External

Virtual memory allocated:
 Stack size:
 Image header virtual block limits:
 Image binary virtual block limits:
 Image name and identification:
 Number of files:
 Number of modules:
 Number of program sections:
 Number of global symbols:
 Number of cross references:
 Number of image sections:
 User transfer address:
 Number of code references to shareable images:
 Image type:
 Map format:
 Estimated map length:

00000200 00001DFF 00001C00 (7168. bytes, 14. pages)
 20. pages
 1. 1. (1. block)
 2. 15. (14. blocks)
 RENAME V04-000
 5.
 11.
 15.
 297.
 122.
 6.
 00000212
 13.
 EXECUTABLE.
 FULL WITH CROSS REFERENCE in file \$_255\$DUA28:[CLIUTL.LIS]RENAME.MAP:1
 81. blocks

! Link Run Statistics !

Performance Indicators

	Page Faults	CPU Time	Elapsed Time
Command processing:	75	00:00:00.16	00:00:00.40
Pass 1:	153	00:00:01.35	00:00:11.30
Allocation/Relocation:	33	00:00:00.15	00:00:01.19
Pass 2:	42	00:00:00.58	00:00:04.34
Map data after object module synopsis:	13	00:00:00.56	00:00:00.63
Symbol table output:	1	00:00:00.04	00:00:00.44
Total run values:	317	00:00:02.84	00:00:18.30

Using a working set limited to 1200 pages and 66 pages of data storage (excluding image)

Total number object records read (both passes): 391
 of which 188 were in libraries and 9 were DEBUG data records containing 664 bytes

Number of modules extracted explicitly = 3
 with 7 extracted to resolve undefined symbols

44 library searches were for symbols not in the library searched

A total of 0 global symbol table records was written

LINK/USERLIB=PROC/EXE=EXE\$:RENAME/MAP=MAP\$:RENAME/CROSS/FULL/NOTRACE LIB\$:[CLIUTL/INCL=(RENAME,RENAMEMSG,CVTTIME)/LIB

0048 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

RENAME
MAP

SETPO
MAP

UNLOCK
MAP

QUEMAN
MAP

SHOW
MAP

SET
MAP

CLIUTL

CREATE
MAP

SHWCLCMD
CLD

RUNDET
MAP

SHWCLSTR
MAP

TYPE
MAP

SUBMIT
MAP